

HOSELINK[®]

Installation Manual
10m Compact Portable Hose Reel
Model: 3590-WG

IMPORTANT
Read before use & keep
for future reference.

We're
here to
help.

For more information visit hoselink.com.au or email hello@hoselink.com.au



Kit contents

- 1 x 10m Compact Portable Hose Reel (hose pre-fitted)
- 1 x Handle (to wind hose)
- 1 x 2m Leader Hose (pre-fitted)
- 1 x Comfort 8-Pattern Flow Control Sprayer
- 2 x Accessory Connectors (pre-fitted)
- 1 x Universal Tap Connector
- 1 x Accessory Connector with Swivel
- 2 x Plugs and screws for mounting (optional)

Assembly Instructions

STEP 1

Remove contents from the box and make sure you have everything listed in the 'Kit Contents' section above.

STEP 2

Push the handle on to the front disc of the reel until it clicks into place.

STEP 3

Screw the Universal Tap Connector on to your garden tap. Remove the reducer from the top of the connector if the thread on your tap is larger. *Connector is suited to fit both 3/4" and 1" taps in Australia.*

STEP 4

Screw the Accessory Connector with Swivel into your Comfort 8-Pattern Flow Control Sprayer. Connect to the Accessory Connector at the end of the hose by lining up the two white lugs and twisting until you feel a click.

STEP 5

Attach the leader hose to the tap by lining up the two white lugs on the connectors then twist them until you feel a click.

Mounting Instructions

STEP 1

Select mounting location. You will need to use an 8mm drill piece for masonry installation or a 5mm drill piece for timber installation.

STEP 2

Use the mounting template (included) to outline the holes.

STEP 3

MASONRY INSTALLATION

Drill both holes using an 8mm drill piece. Gently, hammer the plugs into place and use a Phillips head screwdriver to secure the screws into place. **Leave the screws slightly protruding from the wall as the Hose Reel will slot over the screws to mount.**

TIMBER INSTALLATION

Plugs not required. Drill both screws into the timber backing using a 5mm drill piece.

DO NOT USE Hose Reel whilst mounted, this is for storage use only.

NOTE:

You can run water through the hose in any direction. Therefore, depending on how you would like to use the Hose Reel, you can decide which end will be used to water. If you connect the leader hose to the tap, this would mean you don't move the Hose Reel itself too far away. Connecting the longer hose to the tap means you would hold the Hose Reel close to where ever you are watering.

HOSELINK[®]

Email | hello@hoselink.com.au

Website | hoselink.com.au